

NITRILE	BLACK OR ORANGE	POWDER FREE	S-XXL	AMBIDIESTROUS	GRIP SURFACE
----------------	------------------------	--------------------	--------------	----------------------	---------------------

Special thickness glove. Grip Surface. Excellent resistance against aromatic and petroleum solvents and animal fats. It offers protection against a high variety of chemicals and against solvents in contact.

Specs

It doesn't contain latex protein. Suitable for latex allergic people.	Surface grip in palm and fingers.
Black or Orange. Disposable glove	High resistance
Rolled Edge, protection against spills.	Flexibility and adaptability.

- 50 pieces per dispenser, with a petrochemical opening for a hygienic access to the glove.
- Packaging contains: 10 dispensers of 500 units
- Dimension: 240 x 120 x 50 mm



DISPOSABLE NITRILE GENTLE GRIP BLACK 8,5 GR



REFERENCE	COLOUR	FORMAT	PALET
GENTLE TOUCH	BLACK	10 X 50 PCS	7 HIGH X 12 BOX
SIZES	S-M-L-XL-XXL	500 PCS	84 BOX

DISPOSABLE NITRILE GENTLE GRIP ORANGE 8,5 GR



REFERENCE	COLOUR	FORMAT	PALET
GENTLE TOUCH	ORANGE	10 X 50 PCS	7 HIGH X 12 BOX
SIZES	S-M-L-XL-XXL	500 PCS	84 BOX

Labelling: Manufacturing date, expiration date, batch number, reference and EAN code. Product name in several languages: Spanish, English, French, German, Italian, Portuguese.

CE marking, protection pictograms, safety standards and legislation. Size, size guide and units.

REF	Colour	size	Size	EAN 13	EAN 14
0807	black	S	7	8435234508077	18435234508074
0808	black	M	8	8435234508084	18435234508081
0809	black	L	9	8435234508091	18435234508098
0810	black	XL	10	8435234508107	18435234508104
0811	black	XXL	11	8435234508114	18435234508111
0820	Orange	S	7	8435234508206	18435234508203
0821	Orange	M	8	8435234508213	18435234508210
0822	Orange	L	9	8435234508220	18435234508227
0823	Orange	XL	10	8435234508237	18435234508234
0824	Orange	XXL	11	8435234508244	18435234508241

Normative:

- Category III. Marca CE mark according to Regulation (EU) 2016/425
- Food Normative 10/2011 of 14 January 2011 on plastic material and articles intended to come into contact with food.
- EN ISO 374-1:2016. Standard EN 374-2. Point 7. Standard EN374-4. Point 5.
- EN ISO 374-5:2016
- EN420:2003+A1:2009. Dexterity Level 5

PERMEATION. EN ISO 374-1:2016

Gloves are classified in terms of time of passage, according to each individual chemical for which the glove resists permeation:

CHEMICAL	LEVEL	WORD
40% SODIUM HYDROXIDE	6	K
30% HYDROGEN PEROXIDE	5	P
37% FORMALDEHYDE	3	T

Performance Level:

Time (min)	> 10	> 30	> 60	> 120	> 240	> 480
Performance Level	1	2	3	4	5	6

DEGRADATION

(DR) K: 40% Sodium Hydroxide = -17.83%

(DR) P: 30% Hydrogen Peroxide = 5.81%

(DR) T: 37% Formaldehyde = 33.75%

The "Gentle Grip Glove", Vinyl glove PPE should be used to protect the user's hand against chemical risks (products and levels mentioned above) and against microbiological risks (bacteria, fungi and virus).

The present PPE should never be used against other risks than those described above. The use of his PPE should be evaluated correctly depending on the place of work.


EN ISO 374-1:2016/A1:2018 Type B EN ISO 374-5:2016



KPT



VIRUS



0161

CAT III

Glove Dimension	S	M	L	XL
Palm width mm	85 ± 5 mm	95 ± 5 mm	110 ± 5 mm	110 ± 5 mm
Length mm	Min 240 mm	Min 240 mm	Min 240 mm	Min 240 mm
Cuff thickness mm (±0.02)	0.20 ± 2 mm	0.20 ± 2 mm	0.20 ± 2 mm	0.20 ± 2 mm
Weight gr. (± 0.3)	8.2	8.4	9.0	9.6

Inner



Logistics:

inner 50 gloves

Cartons: 10 inners per carton

Pallet: 84 cartons.

DISTRIBUIDOR OFICIAL

ASATEX Protección Laboral SL
Tel. (34) 935 603 611
www.asatex.eu - info@asatex.com

ASATEX®